

Technical Centre
Glenochil
Menstrie
Clackmannanshire
SCOTLAND
FK11 7ES

Our Reference : 13/5498
Date Issued : 11/07/2014

Tel. +44(0)1259 761481
Fax. +44(0)1259 766874

CERTIFICATE OF ANALYSIS OF SAMPLE AS RECEIVED
for
Baileys Original Irish Cream @ 17% abv

Product category: Liqueur
Produced and bottled on behalf of Diageo Scotland Limited

	<u>Per Cent</u>
Alcohol by volume (real strength)	16.8
Total Solids	37.54
	18.7
	<u>Grams per</u>
	<u>100 Litres of Alcohol</u>
Volatile Acidity as acetic acid	<0.9
Fixed Acidity as acetic acid	507.1
Total Acidity as acetic acid	507.1
Esters as ethyl acetate	31.3
Aldehydes as acetaldehyde	2.6
Furfural	0.6
Propyl Alcohol	1.2
Butyl Alcohol	3.8
Amyl Alcohol	3.5
Higher Alcohols	8.5
Methyl Alcohol (Methanol)	<0.1

The symbol "<" indicates the compound was not detected, and the detectable limit is given.
Analysis results are provided by an independent accredited laboratory.



Analysis Date: January 10, 2014
Expiry Date: January 10, 2015

Angus Clyne, Lead Project Scientist, C.Sci, C.Chem, MRSC
Analytical Sciences Manager



Technical Centre
Glenochil
Menstrie
Clackmannanshire
SCOTLAND
FK11 7ES

Our Reference : 13/5498
Date Issued : 11/07/2014

Tel. +44(0)1259 761481
Fax. +44(0)1259 766874

Analysis of sample as received

Baileys Original Irish Cream @ 17% abv

Product category: Liqueur
Produced and bottled on behalf of Diageo Scotland Limited

Alcoholic Strength by volume, (real strength) %	16.8
Gay - Lussac (degrees)	16.7

Analysis results are provided by an independent accredited laboratory.

Comment

CERTIFICATE OF PURITY, HEALTH, HYGIENE, AND FREE SALE FOR Baileys Original Irish Cream

This is to certify that the above product is manufactured and bottled under modern conditions in premises which are subject to the control of the Public Health Authority and that this product is authorised for distribution in the United Kingdom and is fit for human consumption.

A handwritten signature in black ink, which appears to read "Angus Clyne".

Analysis Date: January 10, 2014
Expiry Date: January 10, 2015

Angus Clyne, Lead Project Scientist, C.Sci, C.Chem, MRSC
Analytical Sciences Manager

Technical Centre
Glenochil
Menstrie
Clackmannanshire
SCOTLAND
FK11 7ES

Our Reference : 13/5498
Date Issued : 11/07/2014

Tel. +44(0)1259 761481
Fax. +44(0)1259 766874

Análisis de la muestra recibida

Baileys Original Irish Cream @ 17% abv

Categoría Del Producto: Licor
Producido y embotellado en representación de Diageo Scotland Limited

	<u>Per Cent</u>
Alcohol por volumen (graduación real)	16.8
Extracto Solido	37.54

	<u>Gramos por 100 Litros de Alcohol</u>
Acidos volatiles en acido acetico	<0.9
Acidos fijos en acido acetico	507.1
Acidos totales en acido acetico	507.1
Esteres en acetato de etilo	31.3
Aldehidos en aldehido acetico	2.6
Furfurol	0.6
Alcohol propílico	1.2
Alcohol butílico	3.8
Alcohol Amílico	3.5
Alcoholes Superiores (Total)	8.5
Alcohol Metílico	<0.1

El símbolo "<" indica que el compuesto no se detectó, y se indica el límite detectable. Los métodos de análisis internos están confirmados por el Laboratorio Químico del Gobierno del Reino Unido mediante su Esquema de Profesionalidad de Análisis de Destilados (DAPS).



Analysis Date: January 10, 2014
Expiry Date: January 10, 2015

Angus Clyne, Lead Project Scientist, C.Sci, C.Chem, MRSC
Analytical Sciences Manager

Technical Centre
Glenochil
Menstrie
Clackmannanshire
SCOTLAND
FK11 7ES

Our Reference : 13/5498
Date Issued : 11/07/2014

Tel. +44(0)1259 761481
Fax. +44(0)1259 766874

Análisis de la muestra recibida

Baileys Original Irish Cream @ 17% abv

Categoría Del Producto: Licor
Producido y embotellado en representación de Diageo Scotland Limited

Contenido de alcohol por volumen, (graduación real) %	16.8
Gay - Lussac (degrees)	16.7

Comentario

CERTIFICATO DE PUREZA, SANIDAD, HIGIENE, Y LIBRE VENTA
Baileys Original Irish Cream

Certificamos por el presente que la muestra arriba mencionada se elabora y se embotella bajo condiciones modernas en locales conformes a los requisitos previstos por la reglamentación de sanidad pública, y que este producto es apto para consumo humano..



Analysis Date: January 10, 2014
Expiry Date: January 10, 2015

Angus Clyne, Lead Project Scientist, C.Sci, C.Chem, MRSC
Analytical Sciences Manager